Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L32	4	31 and @ad<="20000112"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 17:06
L26	238	25 and @ad<="20000112"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 17:06
S67	107	((first adj management) near3 (system device network computer node)) and ((second adj management) near3 (system device network computer node))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 17:05
L31	9	30 and (relat\$4 near5 (attribut\$4 event message\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 17:05
L30	123	((first adj management) near3 (system device network computer node)) and ((second adj management) near3 (system device network computer node))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 17:05
L28	117	26 and (relat\$4 near5 (attribut\$4 event message\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 17:05
L29	22	28 and (format\$4 near5 compatible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 17:04
L27	0	26 and 22	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 17:03
L12	49	11 and (relat\$4 near5 (attribut\$4 event message\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 17:03
L7	2156	((management near3 (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)) and (file\$2 near10 message\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 17:03
L24	26	22 and @ad<="20000112"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 17:01

S16	292	((((((management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)) and (file\$2 near10 message\$2)) and (file\$2 near7 message\$2)) and (file\$2 near6 message\$2)) and (file\$2 near5 message\$2)) and (file\$2 near5 message\$2)) and (file\$2 near3 message\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 17:00
L25	680	((((((management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)) and (file\$2 near10 message\$2)) and (file\$2 near6 message\$2)) and (file\$2 near6 message\$2)) and (file\$2 near5 message\$2)) and (file\$2 near3 message\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 17:00
L13	. 28	12 and @ad<="20000112"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 16:59
\$36	53	(((((((determin\$4 same (event\$2 data message\$2) same relat\$4 same (first second))) and (receiv\$4 same (event data messag\$4) same first)) and ((format\$4 convert\$4) same (event\$2 messag\$4 data) same compatible)) and correlat\$4) and (perform\$4 near5 analysis)) not ((((((((determin\$4 same (event\$2 data message\$2) same relat\$4 same (first second))) and (receiv\$4 same (event data messag\$4) same first)) and ((format\$4 convert\$4) same (event\$2 messag\$4 data) same (event\$2 messag\$4 data) same compatible)) and correlat\$4) and (perform\$4 near5 analysis)) and gateway\$2) and (event\$2 alarm\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 16:58

L22	83	(((((((determin\$4 same (event\$2 data message\$2) same relat\$4 same (first second))) and (receiv\$4 same (event data messag\$4) same first) ) and ((format\$4 convert\$4) same (event\$2 messag\$4 data) same compatible)) and correlat\$4) and (perform\$4 near5 analysis)) not (((((((((determin\$4 same (event\$2 data message\$2) same relat\$4 same (first second))) and	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 16:58
		(receiv\$4 same (event data messag\$4) same first) ) and ((format\$4 convert\$4) same (event\$2 messag\$4 data) same compatible)) and correlat\$4) and (perform\$4 near5 analysis)) and gateway\$2) and (event\$2 alarm\$2))				
L21	1	((management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)) and (file\$2 near10 (related adj message\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 16:58
S15	1	((management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)) and (file\$2 near10 (related adj message\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 16:57
L20	1	first and second and management and system and recevi\$4 and (event near3 message\$2) and (network and associat\$4 and management) and determin\$6 and (relat\$4 and (entit\$4 attribut\$4) and ((format\$4 convert\$4) and compatible))	US-PGPUB	OR	ON	2005/08/04 16:54
L19	0	first and second and management and system and recevi\$4 and (event near3 message\$2) and (network and associat\$4 and management) and determin\$6 and (relat\$4 near5 (entit\$4 attribut\$4) and ((format\$4 convert\$4) and compatible))	US-PGPUB	OR	ON	2005/08/04 16:53

L18	0	first and second and management and system and recevi\$4 and (event near3 message\$2) and (network and associat\$4 near5 management) and determin\$6 and (relat\$4 near5 (entit\$4 attribut\$4) and ((format\$4 convert\$4) and compatible))	US-PGPUB	OR	ON	2005/08/04 16:53
L17	0	first and second and management and system and recevi\$4 and (event near3 message\$2) and (network near5 associat\$4 near5 management) and determin\$6 and (relat\$4 near5 (entit\$4 attribut\$4) and ((format\$4 convert\$4) and compatible))	US-PGPUB	OR	ON	2005/08/04 16:53
L16	0	first and second and management and system and recevi\$4 and (event near3 message\$2) and (network near5 associat\$4 near5 management) and determin\$6 and (relat\$4 near5 (entit\$4 attribut\$4) and ((format\$4 convert\$4) same compatible))	US-PGPUB	OR	ON	2005/08/04 16:53
L15	1	14 and (format\$4 convert\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 16:18
L14	1	"6363421".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 16:18
[1]	103	10 and (event near3 message\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 16:07
L10	1338	multiple near3 management near3 system\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 16:07
		11 and (relat\$4 near5 (attribut\$4 event message\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 16:07
L9	11207	709/206,223,224,230.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 16:06
L8	6196	709/207,203.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 16:04

S11	439	((management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)) and (file\$2 near10 message\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 13:56
L6	1	"6131111".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 13:40
L5	8	(event near3 message\$2) near5 relate\$2 near5 (entit\$3 attribut\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 13:40
L4	3	"6820235"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 13:35
L3	6423	(management near3 (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 13:00
S9	1252	(management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 10:22
L2	9	((first near3 management near3 system) same (event near3 message\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 10:21
L1	0	((first near3 management near3 system) same (event near3 message\$2)) and (determinat\$4 near4 (event message\$2) near5 relate\$2 same (second near3 management near3 system))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/04 10:20
S92	1	"6131112".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/20 14:33
S91	1	"06131112".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/20 14:33
S90	10	("3036290" "4622545" "5107497" "5123017" "5125091" "5133075" "5226120" "5321837" "5640505" "5651006").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/20 14:33

S89	1511	709/230.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 17:34
S88	600	709/207.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 17:34
S87	0	709/207.pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 17:32
S86	1	"6131112".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 17:32
S85	96	S83 and S84	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 17:31
		"6113121".pm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 17:31
S84	780	((format\$4 convert\$4) same (event\$2 messag\$4 data) same compatible) and correlat\$4 and (perform\$4 near5 analysis)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:29
S83	96	S81 and S82	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:29
		((format\$4 convert\$4) same (event\$2 messag\$4 data) same compatible)) and correlat\$4) and (perform\$4 near5 analysis)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:29
S82	76523	(management near3 (system\$2 device server\$2 computer\$2)) same (message\$2 data information)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:28
S81	96	S79 and S80	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:28
S80	972	(((gateway and (management near5 platform\$2)) and (alarm\$2 message\$2 data event\$2)) and receiv\$4 and (relat\$4 correlat\$4)) and (first second)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:28

S79	107	S74 and S78	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:28
S78	815	S76 and S77	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:27
S74	121	S73 and ((((management near3 (system\$2 device server\$2 computer\$2)) same (message\$2 data information)) and (entit\$4 same (information data message\$2))) and (format\$4 same compatib\$4)) and (first and second)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:27
S77	15666	(((determin\$4 same (event\$2 data message\$2) same relat\$4 same (first second))) and (receiv\$4 same (event data messag\$4) same first))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:26
S76	15296	((format\$4 convert\$4) same (event\$2 messag\$4 data) same compatible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:26
S75	1030	(gateway and (management near5 platform\$2)) and (alarm\$2 message\$2 data event\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:26
S73	403	S72 and (management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:25
S71	2514	(management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:14
S72	10504	(plurality near4 management\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:12
S70	1	((management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)) and (file\$2 near10 (related adj message\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:12

S69	1031	gateway and (management near5 platform\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:11
S68	35886	((first second) and receiv\$4 and send\$4) and (management near5 system\$2) and (format\$4 convert\$4 compatible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:11
		(first second)) and receiv\$4) and send\$4) and (management near5 system\$2)) and (format\$4 convert\$4 compatible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:10
		(((first second)) and receiv\$4) and send\$4) and (management near5 system\$2)) and (format\$4 convert\$4 compatible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:10
		(((first second) and receiv\$4) and send\$4) and (management near5 system\$2)) and (format\$4 convert\$4 compatible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:10
S66	780	((format\$4 convert\$4) same (event\$2 messag\$4 data) same compatible) and correlat\$4 and (perform\$4 near5 analysis)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:09
		((format\$4 convert\$4) same (event\$2 messag\$4 data) same compatible)) and correlat\$4) and (perform\$4 near5 analysis)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:09
S65	1030	gateway and (management near5 platform\$2) and (alarm\$2 message\$2 data event\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:08
S64	115	(((((((determin\$4 same (event\$2 data message\$2) same relat\$4 same (first second))) and (receiv\$4 same (event data messag\$4) same first) ) and ((format\$4 convert\$4) same (event\$2 messag\$4 data) same compatible)) and correlat\$4) and (perform\$4 near5 analysis)) and gateway\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:08
		gateway and (management near5 platform\$2)) and (alarm\$2 message\$2 data event\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:08
		gateway and (management near5 platform\$2)) and (alarm\$2 message\$2 data event\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:08

S63	6	S62 and ((format\$4 convert\$4) near6 (event\$2 near3 message\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:06
S62	166	S60 and ((first near4 management\$2) and (second near4 management\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:05
S61	4	(event near3 message\$2) near6 (correspond\$4 relate\$) near5 (entit\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:05
S60	4256	(management near4 (network system)) and (event near3 message\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:03
S59	9918	709/206,223,224,246.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:01
S58	1	"5764955".pn. and interfac\$4	USPAT	OR	OFF	2004/05/16 16:31
S57	1	"5764955".pn.	USPAT	OR	OFF	2004/05/16 16:31
		"1" and (AVS (anonymous adj voice adj system)	USPAT	OR	OFF	2004/05/16 16:31
		"1" and	USPAT	OR	OFF	2004/05/16 16:31
S56	78	((first adj management) near3 (system device network computer node)) and ((second adj management) near3 (system device network computer node))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/05 11:56
S55	75	((first adj management) near3 (system device network computer)) and ((second adj management) near3 (system device network computer))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/05 11:55
S54	1136	((((management near3 (system\$2 device server\$2 computer\$2)) same (message\$2 data information)) and (entit\$4 same (information data message\$2))) and (format\$4 same compatib\$4)) and (first and second)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 16:08
S52	1206	(((management near3 (system\$2 device server\$2 computer\$2)) same (message\$2 data information)) and (entit\$4 same (information data message\$2))) and (format\$4 same compatib\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 16:08

S53	201	((((management near3 (system\$2 device server\$2 computer\$2)) same (message\$2 data information)) and (entit\$4 same (information data message\$2))) and (format\$4 same compatib\$4)) and ((first second) near3 management)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 16:03
		"20" and ((first second) near3 management))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 16:03
S51	14515	((management near3 (system\$2 device server\$2 computer\$2)) same (message\$2 data information)) and (entit\$4 same (information data message\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 16:01
S50	61415	(management near3 (system\$2 device server\$2 computer\$2)) same (message\$2 data information)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 16:00
S49	2	("5764955" "6026091").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/29 10:35
S48	1	"6026091".pn. and (format\$4 convert\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/29 10:34
S47	1	"6026091".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/28 16:21
S46	503	(((((((gateway and (management near5 platform\$2)) and (alarm\$2 message\$2 data event\$2)) and receiv\$4 and (relat\$4 correlat\$4) and (first second)) and receiv\$4) and send\$4) and (management near5 system\$2)) and (format\$4 convert\$4 compatible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/28 16:21
S45	1738771	"6" and (format\$4 convert\$4 compatible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/22 10:07
S44	525	((((((gateway and (management near5 platform\$2)) and (alarm\$2 message\$2 data event\$2)) and receiv\$4 and (relat\$4 correlat\$4)) and (first second)) and receiv\$4) and send\$4) and (management near5 system\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/22 10:07

S43	615	(((((gateway and (management near5 platform\$2)) and (alarm\$2 message\$2 data event\$2)) and receiv\$4 and (relat\$4 correlat\$4) and (first second)) and receiv\$4) and send\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/22 10:05
S42	661	((((gateway and (management near5 platform\$2)) and (alarm\$2 message\$2 data event\$2)) and receiv\$4 and (relat\$4 correlat\$4) ) and (first second)) and receiv\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/22 10:05
S41	661	(((gateway and (management near5 platform\$2)) and (alarm\$2 message\$2 data event\$2)) and receiv\$4 and (relat\$4 correlat\$4) ) and (first second)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/22 10:05
S40	677	((gateway and (management near5 platform\$2)) and (alarm\$2 message\$2 data event\$2)) and receiv\$4 and (relat\$4 correlat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/22 10:04
S39	677	((gateway and (management near5 platform\$2)) and (alarm\$2 message\$2 data event\$2)) and receiv\$4 and (relat\$4 correlat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/22 09:57
S38	699	(gateway and (management near5 platform\$2)) and (alarm\$2 message\$2 data event\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/21 16:27
S37	700	gateway and (management near5 platform\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/21 16:27
S35	108	((((((((determin\$4 same (event\$2 data message\$2) same relat\$4 same (first second))) and (receiv\$4 same (event data messag\$4) same first) ) and ((format\$4 convert\$4) same (event\$2 messag\$4 data) same compatible)) and correlat\$4) and (perform\$4 near5 analysis)) and gateway\$2) and (event\$2 alarm\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/21 16:25

S34	110	(((((((determin\$4 same (event\$2 data message\$2) same relat\$4 same (first second))) and (receiv\$4 same (event data messag\$4) same first) ) and ((format\$4 convert\$4) same (event\$2 messag\$4 data) same compatible)) and correlat\$4) and (perform\$4 near5 analysis)) and gateway\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/21 16:24
S33	161	(((((determin\$4 same (event\$2 data message\$2) same relat\$4 same (first second))) and (receiv\$4 same (event data messag\$4) same first) ) and ((format\$4 convert\$4) same (event\$2 messag\$4 data) same compatible)) and correlat\$4) and (perform\$4 near5 analysis)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/21 16:23
S32	292	((((determin\$4 same (event\$2 data message\$2) same relat\$4 same (first second))) and (receiv\$4 same (event data messag\$4) same first) ) and ((format\$4 convert\$4) same (event\$2 messag\$4 data) same compatible)) and correlat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/21 16:22
S31	650	(((determin\$4 same (event\$2 data message\$2) same relat\$4 same (first second))) and (receiv\$4 same (event data messag\$4) same first) ) and ((format\$4 convert\$4) same (event\$2 messag\$4 data) same compatible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/21 16:20
S30	11790	((determin\$4 same (event\$2 data message\$2) same relat\$4 same (first second))) and (receiv\$4 same (event data messag\$4) same first)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/21 16:19
S29	26503	(determin\$4 same (event\$2 data message\$2) same relat\$4 same (first second))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/21 16:18
S28	2	("6175619" "5818836").pn. and without	USPAT	OR	OFF	2003/01/15 12:15
S24	2	("6175619" "5818836").pn. and (teleconference\$2)	USPAT	OR	OFF	2003/01/15 12:15
S27	1	(("6175619" "5818836").pn. and (teleconference\$2 conference\$2)) and (AVS (anonymous adj voice adj system))	USPAT	OR	OFF	2003/01/15 11:36

S26	2	(("6175619" "5818836").pn. and (teleconference\$2 conference\$2)) and server\$2	USPAT	OR	OFF	2003/01/15 11:36
S25	2	(("6175619" "5818836").pn. and (teleconference\$2 conference\$2)) and switch\$4	USPAT	OR	OFF	2003/01/15 10:44
S23	1	("5818836".pn. and (voice process\$4 card\$2)) and message\$2	USPAT	OR	OFF	2003/01/15 09:18
S22	1	"5818836".pn. and (voice process\$4 card\$2)	USPAT	OR	OFF	2003/01/14 17:57
S21	1	"5818836".pn.	USPAT	OR	OFF	2003/01/14 17:55
S1	1491	709/203,207.ccls.	USPAT	OR	OFF	2003/01/14 17:55
S20	1	("5473608".pn. and (distribution adj unit\$2)) and plurality	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/01/11 19:55
S19	1	"5473608".pn. and (distribution adj unit\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/01/11 19:55
S18	1	"5473608".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/01/11 19:46
S17	18	((management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)) and (probable adj cause\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/01/11 19:02
S14	361	(((((management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)) and (file\$2 near7 message\$2)) and (file\$2 near6 message\$2)) and (file\$2 near5 message\$2)) and (file\$2 near5 message\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/01/11 18:43
S13	395	((((management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)) and (file\$2 near7 message\$2)) and (file\$2 near6 message\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/01/11 18:43

S12	409	(((management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)) and (file\$2 near7 message\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/01/11 18:42
S10	0	((management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)) and (file42 near5 message\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/01/11 18:41
S8	1	"6131112".pn.	USPAT	OR	OFF	2002/12/30 10:33
S7	1	"5473608".pn. and (distribution adj unit\$2)	USPAT	OR	OFF	2002/12/30 10:32
S6	1	"5473608".pn.	USPAT	OR	OFF	2002/12/30 10:28
S5	22	("6131112" "5473608" "5680552" "5450408" "5317568" "5079765" "9508794" "9423514").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/07/11 09:37
S4	6	(709/203,207.ccls. and (management adj information)) and (management near5 platform)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/07/11 09:35
<b>S3</b>	4	(709/203,207.ccls. and (management adj information)) and (data near5 compatible)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/07/11 09:34
S2	78	709/203,207.ccls. and (management adj information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/07/11 09:33